

Protecting Our Water Environment



Metropolitan Water Reclamation District of Greater Chicago

***MONITORING AND RESEARCH
DEPARTMENT***

REPORT NO. 20-14

THORNTON COMPOSITE RESERVOIR

GROUNDWATER MONITORING REPORT

FIRST QUARTER 2020

May 2020



Metropolitan Water Reclamation District of Greater Chicago

CECIL LUE-HING RESEARCH AND DEVELOPMENT COMPLEX
6001 WEST PERSHING ROAD CICERO, ILLINOIS 60804-4112

Edward W. Podczerwinski, P.E.

Director of Monitoring and Research

BOARD OF COMMISSIONERS

Kari K. Steele
President
Barbara J. McGowan
Vice President
Frank Avila
Chairman of Finance
Cameron Davis
Kimberly Du Buclet
Marcelino Garcia
Josina Morita
Debra Shore
Mariyana T. Spyropoulos

May 22, 2020

Mr. Richard P. Cobb, P.G.
Division Manager
Division of Public Water Supplies
Illinois Environmental Protection Agency
1021 North Grand Avenue East
Springfield, IL 62794
RICK.COBB@Illinois.gov

Dear Mr. Cobb:

Subject: Transmittal of the Report "Thornton Composite Reservoir Groundwater Monitoring Report First Quarter 2020"

Please find attached the report entitled "Thornton Composite Reservoir Groundwater Monitoring Report First Quarter 2020" transmitted electronically. The report is prepared for transmittal to the Illinois Environmental Protection Agency (IEPA) in accordance with the Thornton Composite Reservoir Groundwater Monitoring Plan. Also attached is the Excel spreadsheet of the Thornton Composite Reservoir raw data as required by the IEPA.

If you have any questions or would like to have additional information, please contact Mr. Benjamin Morgan at (708) 588-3743 or morganb@mwr.org.

Very truly yours,

Albert E. Cox, Ph.D.

Environmental Monitoring and Research Manager
Monitoring and Research Department

AC:BM:cm

Attachment

cc: Mr. E. Podczerwinski

Metropolitan Water Reclamation District of Greater Chicago
100 East Erie Street Chicago, Illinois 60611-2803 (312) 751-5600

Thornton Composite Reservoir Groundwater Monitoring Report
First Quarter 2020

Benjamin Morgan
Environmental Soil Scientist

Guanglong Tian
Principal Environmental Scientist

Albert Cox
Environmental Monitoring and Research Manager

Heng Zhang
Assistant Director of Monitoring and Research
Environmental Monitoring and Research Division

TABLE OF CONTENTS

| | <u>Page</u> |
|-------------------------------|-------------|
| LIST OF TABLES | ii |
| LIST OF FIGURES | iii |
| LIST OF ACRONYMS | iv |
| ACKNOWLEDGMENT AND DISCLAIMER | v |
| INTRODUCTION | 1 |
| FIELD ACTIVITIES | 5 |
| ANALYTICAL RESULTS | 8 |
| REFERENCES | 11 |

LIST OF TABLES

| <u>Table No.</u> | | <u>Page</u> |
|------------------|--|-------------|
| 1 | Characteristics of Monitoring Wells TB-118 Through TB-124 at the Thornton Composite Reservoir Site | 3 |
| 2 | Devices and Corresponding Dates of Sampling During Quarterly Monitoring Event Sampling in March 2020 | 6 |
| 3 | Summary of Groundwater Elevations at Sampling Port 3 of Each Well and Corresponding Groundwater Elevations During the Quarterly Monitoring Event in March 2020 | 7 |
| 4 | Analytical Methods Used for Required Parameters | 9 |
| 5 | Analysis of Groundwater Sampled From Monitoring Wells TB-118 Through TB-124 and the Main Quarry Sump at the Thornton Composite Reservoir Site for the Quarterly Monitoring Event in March 2020 | 10 |

LIST OF FIGURES

| <u>Figure No.</u> | | <u>Page</u> |
|-----------------------|--|-------------|
| 1 | Monitoring Well and Main Quarry Sump Locations | 2 |

LIST OF ACRONYMS

| Acronym | Definition |
|---------|-------------------------------|
| CCD | Chicago City Datum |
| CFU | Colony Forming Unit |
| CSF | Combined Sewer Flow |
| GMP | Groundwater Monitoring Plan |
| GPS | Groundwater Protection System |
| IAC | Illinois Administrative Code |
| TCR | Thornton Composite Reservoir |
| TOC | Total Organic Carbon |

ACKNOWLEDGMENT

This report for the Thornton Composite Reservoir Groundwater Monitoring was generated by the Monitoring and Research Department. All samples were collected by A3 Environmental Consultants (contractor) under the Thornton Composite Reservoir Contract 20-100-11. Analyses were performed by the Analytical Laboratories Division and the Analytical Microbiology Section of the Metropolitan Water Reclamation District of Greater Chicago. Special thanks are due to Ms. Coleen Maurovich for typing and formatting this report.

DISCLAIMER

Mention of proprietary equipment and chemicals in this report does not constitute endorsement by the Metropolitan Water Reclamation District of Greater Chicago.

INTRODUCTION

A Groundwater Protection System (GPS) was constructed for the Thornton Composite Reservoir (TCR) to protect against the exfiltration of combined sewer flow (CSF) into the surrounding dolomite aquifers. The CSF and minimal amounts of stormwater are stored in the reservoir during and after large storm events. To monitor the performance of the GPS, a network of monitoring wells located outside the perimeter of the GPS is being monitored as discussed in the Revised Groundwater Monitoring Plan (GMP) (Black & Veatch, 2016). As explained in the Revised GMP, one sample of reservoir water, one of the Main Quarry Sump, and one from each of the seven wells are collected annually and analyzed for the Illinois Administrative Code (IAC) Title 35 Part 620 Class I groundwater constituents. In addition, following a reservoir fill event or during a routine quarterly event, groundwater is sampled from the seven wells and the Main Quarry Sump and tested for a targeted list of parameters that are more likely to be detected in CSF water.

The monitoring well system consists of one deep well, TB-124, which monitors the underlying Galena Aquifer, and six vertical Westbay multi-level monitoring wells: TB-118, TB-119, TB-120, TB-121, TB-122, and TB-123, which monitor the Silurian Dolomite aquifers. As discussed in the Revised GMP, following a reservoir fill event, bi-weekly sampling is required while the water in the reservoir remains above an elevation of -280 ft Chicago City Datum (CCD). Groundwater is sampled from each well at the first sample interval port immediately below the reservoir water elevation. Each of the multi-level monitoring wells is capable of monitoring four distinct 20-ft intervals in the Silurian Dolomite aquifer.

The locations of monitoring wells, quarry sump, TCR, and the GPS are presented in Figure 1. The Main Quarry Sump is located beyond the south boundary of the GPS and is not a component of the TCR but is an integral part of the Hanson Material Services mining quarry to the south of the TCR. This sump facilitates mining operations by minimizing the water level at the bottom of the quarry. It is possible that the bottom of this sump could extend beyond the lowest depth of the TCR (-297.5 CCD ft). The sump contains mainly groundwater and small quantities of surface runoff, and it is sampled quarterly and during fill events, along with the wells, to evaluate the potential migration of contaminants from the TCR to the sump.

Table 1 lists the characteristics of all wells at the TCR site (well location coordinates, elevations and depths, and the sampling port interval elevations).

Prior to the TCR becoming operational in November 2015, eight (8) sampling events were conducted on a quarterly basis for two years (May 2012 through March 2014) to provide background data on the existing groundwater quality. In order to evaluate the effectiveness of the grout curtain and the GPS, the Revised GMP (2016) presents the analysis of data for all samples collected during the background monitoring period and provides a baseline for comparison with routine monitoring data. Changes over time in groundwater calcium and magnesium concentrations would also be useful in tracking the occurrence of infiltration/exfiltration. Groundwater analytical data routinely generated for the monitoring wells, reservoir, and sump

FIGURE 1: MONITORING WELL AND MAIN QUARRY SUMP LOCATIONS




TABLE 1: CHARACTERISTICS OF MONITORING WELLS TB-118 THROUGH TB-124
AT THE THORNTON COMPOSITE RESERVOIR SITE

| Well ID | Coordinates ¹ | | Ground Surface Elevation (ft, CCD ²) | Top of Riser Elevation (ft, CCD ²) | Depth of Well (ft) | Sampling Port Interval (ft, CCD) | | | |
|---------|--------------------------|-----------------|---|---|--------------------------|-------------------------------------|--------------------|--------------------|--------------------|
| | Northing (ft) | Easting (ft) | | | | Interval 1 | Interval 2 | Interval 3 | Interval 4 |
| TB-118 | 1,791,110.38 | 693,560.44 | 38.5 | 41.5 | 532 | -85 to -105 | -212 to -232 | -283 to -303 | -392 to -412 |
| TB-119 | 1,792,316.63 | 695,509.39 | 27.9 | 29.5 | 529 | -85 to -105 | -212 to -232 | -283 to -303 | -392 to -412 |
| TB-120 | 1,790,782.31 | 696,888.93 | 40.0 | 42.1 | 540 | -86 to -106 | -213 to -233 | -284 to -304 | -393 to -413 |
| TB-121 | 1,792,193.10 | 696,044.98 | 29.4 | 30.4 | 461 | -84 to -104 | -211 to -231 | -282 to -302 | -391 to -411 |
| TB-122 | 1,790,288.61 | 693,549.38 | 48.8 | 51.7 | 480 | -85 to -105 | -212 to -232 | -283 to -303 | -392 to -412 |
| TB-123 | 1,792,185.60 | 693,685.69 | 28.9 | 31.8 | 460 | -84 to -104 | -211 to -231 | -282 to -302 | -391 to -411 |
| TB-124 | 1,792,200.77 | 695,591.56 | 29.6 | 29.2 | 728 | -663 to -698 | | | |

¹Illinois State Plane Coordinate System (NAD 1927).

²Chicago City Datum (CCD).

will also be compared with the IAC Title 35 Part 620 Class I Groundwater Standards (IPCB, IEPA, 2013) to evaluate any exceedances in groundwater standards.

There were no fill events during the first quarter of 2020. This report presents field activities, observations, and analytical data for surface and groundwater monitoring samples taken at the Main Quarry Sump and at all monitoring wells during quarterly monitoring event sampling conducted from March 16 – 18, 2020.

FIELD ACTIVITIES

For this report period, one complete set of samples was collected at the Main Quarry Sump, the deep well, and at sampling port interval 3 of all multi-level wells during the quarterly monitoring event sampling from March 16 – 18, 2020 (Table 2).

Using a WTW Multi 3400i pH/conductivity/temperature meter, the pH, electrical conductivity (EC), and temperature of each sample were measured and recorded immediately after collection.

Prior to sampling the multi-level wells, hydrostatic pressure was measured to calculate the groundwater elevation at Port 3 of each well. Table 3 lists the elevations at Port 3 of each well and the corresponding groundwater elevations during the quarterly monitoring event sampling from March 16 – 18, 2020.

All samples were packed in ice and transported to the Metropolitan Water Reclamation District of Greater Chicago's (District) Analytical Laboratories Division for the analysis of selected inorganic constituents (IAC Title 35 Part 620 Class I Groundwater Standards) in accordance with the revised GMP. Additional aliquots were also prepared in the field and transported in ice to the District's Analytical Microbiology Laboratory for fecal coliform analysis.

TABLE 2: DEVICES AND CORRESPONDING DATES OF SAMPLING DURING
 QUARTERLY MONITORING EVENT SAMPLING IN MARCH 2020

| Date of Sampling | Event | Device/Structure Sampled |
|------------------|--------------------|----------------------------------|
| 03/16/2020 | Quarterly sampling | TB-120, TB-121, TB-121 Duplicate |
| 03/17/2020 | Quarterly sampling | TB-118, TB-122, TB-123, TB-124 |
| 03/18/2020 | Quarterly sampling | TB-119, Sump |

TABLE 3: SUMMARY OF GROUNDWATER ELEVATIONS AT SAMPLING PORT 3 OF EACH WELL AND CORRESPONDING GROUNDWATER ELEVATIONS DURING THE QUARTERLY MONITORING EVENT IN MARCH 2020

| Sample Date | Well ID | Sampling Port 003 Elevation | Groundwater Elevation |
|-------------|---------------------|------------------------------------|-----------------------|
| | | ----- (ft CCD ¹) ----- | |
| 03/17/2020 | TB-118 | -289 | -88 |
| 03/18/2020 | TB-119 | -289 | -164 |
| 03/16/2020 | TB-120 | -290 | -217 |
| 03/16/2020 | TB-121 | -288 | -170 |
| 03/17/2020 | TB-122 | -288 | -157 |
| 03/17/2020 | TB-123 | -288 | -48 |
| 03/17/2020 | TB-124 ² | NA ³ | -340 |

¹Chicago City Datum.

²TB-124 is a conventional well screened from -663 to -698 ft CCD. During March, one sample was taken at approximately 650 ft below ground surface.

³NA = Not Applicable.

ANALYTICAL RESULTS

Table 4 lists the analytical methods used by the laboratory for various parameters. Analytical results were reviewed to identify any analytes that exceeded the Illinois Class I Groundwater Standards (35 IAC Part 620).

The analytical data for all well samples and the Main Quarry Sump sample collected during the quarterly monitoring sampling from March 16 – 18 are presented in Table 5. There were a few exceedances of the Part 620 groundwater standards, including TDS, chloride, and sulfate, as indicated in bold font in Table 5. None of these parameters showed a value higher than the background maximum.

Fecal coliform populations were not detected in any sample from the quarterly monitoring event (Table 5).

TABLE 4: ANALYTICAL METHODS USED FOR REQUIRED PARAMETERS

| Analytical Parameters | Analytical Method |
|----------------------------------|-------------------|
| Chloride, Sulfate | EPA 300.0 Rev 2.1 |
| Total Dissolved Solids | SM 2540-C |
| Metals except Calcium, Magnesium | EPA 200.8 |
| Calcium, Magnesium | EPA 200.7 |
| Ammonia (as N) | EPA 350.1 |
| TOC | SM 5310-C |
| Phenols | EPA 420.4 |
| Fecal Coliform | SM 9222D |

TABLE 5: ANALYSIS OF GROUNDWATER SAMPLED FROM MONITORING WELLS TB-118 THROUGH TB-124 AND THE MAIN QUARRY SUMP AT THE THORNTON COMPOSITE RESERVOIR SITE FOR THE QUARTERLY MONITORING EVENT IN MARCH 2020

| Parameter | Unit | Part 620 Groundwater Standard | Maximum Background | Lab RL ¹ | Well | | | | | | | | Sump |
|----------------|------------|-------------------------------------|-----------------------|---------------------|------------------|--------|--------|------------|----------------------|--------|--------|------------|------------|
| | | | | | TB-118 | TB-119 | TB-120 | TB-121 | TB-121D ² | TB-122 | TB-123 | TB-124 | |
| pH | | 6.5 - 9.0 | 8.4 | NL ³ | 8.5 | 8.4 | 8.4 | 8.5 | 8.5 | 8.6 | 8.5 | 8.5 | 8.5 |
| EC | mS/m | NL | 415 | NL | 62 | 62 | 63 | 63 | 63 | 62 | 62 | 63 | 63 |
| TDS | mg/L | 1,200 | 2,960 | 25 | 1,234 | 514 | 700 | 936 | 938 | 792 | 548 | 1,120 | 1,096 |
| TOC | " | NL | 1 | 1 | 1.7 | 1.0 | 1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 | <1.0 |
| Chloride | " | 200 | 1,230 | 1 | 343 | 62 | 160 | 278 | 281 | 129 | 61 | 294 | 169 |
| Sulfate | " | 400 | 890 | 1 | 204 | 102 | 109 | 190 | 193 | 45 | 128 | 646 | 435 |
| Ammonia as N | " | NL | ND ⁴ | 0.30 | 0.49 | 0.51 | 0.39 | 0.61 | 0.59 | 0.47 | 0.59 | 1.0 | <0.30 |
| Total Phenol | " | 0.1 | 0.06 | 0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | <0.005 | 0.011 | <0.005 |
| Fecal Coliform | CFU/100 mL | NL | <1 | 1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| Ag | mg/L | 0.05 | 0.003 | 0.002 | NDR ⁵ | <0.002 | <0.002 | <0.002 | <0.002 | NDR | NDR | <0.002 | <0.002 |
| B | " | 2 | 3.8 | 0.005 | NDR | 0.818 | 0.895 | 0.898 | 0.966 | NDR | NDR | 0.975 | 0.292 |
| Be | " | 0.004 | 0.002 | 0.001 | NDR | <0.001 | <0.001 | <0.001 | <0.001 | NDR | NDR | <0.001 | <0.001 |
| Co | " | 1 | 0.035 | 0.001 | NDR | <0.001 | <0.001 | <0.001 | <0.001 | NDR | NDR | <0.001 | 0.010 |
| Cr | " | 0.1 | 86.4 | 0.002 | NDR | <0.002 | <0.002 | <0.002 | 0.003 | NDR | NDR | <0.002 | <0.002 |
| Cu | " | 0.65 | 0.004 | 0.001 | NDR | <0.001 | <0.001 | <0.001 | <0.001 | NDR | NDR | <0.001 | <0.001 |
| Mn | " | 0.15 | 0.183 | 0.005 | NDR | 0.004 | 0.004 | 0.002 | 0.003 | NDR | NDR | 0.004 | 0.002 |
| Se | " | 0.05 | 0.008 | 0.002 | NDR | <0.002 | <0.002 | <0.002 | <0.002 | NDR | NDR | 0.003 | 0.003 |
| V | " | 0.049 | ND | 0.001 | NDR | <0.001 | <0.001 | <0.001 | <0.001 | NDR | NDR | <0.001 | <0.001 |
| Zn | " | 5 | 10 | 0.005 | NDR | 0.027 | 0.084 | 0.032 | 0.11 | NDR | NDR | 1.1 | <0.005 |
| Ca | " | NL | 276 | 0.5 | 167 | 85.5 | 96.4 | 136 | 141 | 71.7 | 82.7 | 95.6 | 135 |
| Mg | " | NL | 153 | 0.5 | 80.6 | 42.4 | 48.1 | 69.7 | 72.1 | 36.6 | 43.2 | 61.9 | 98.9 |

¹Lab reporting limit.

²Duplicate sample.

³No existing limit.

⁴Not determined.

⁵No data reportable because trace metals analyses were inadvertently not requested at the time of sample submission.

REFERENCES

Black & Veatch, 2014, “Background Groundwater Quality Report for Thornton Composite Reservoir,” prepared for the Metropolitan Water Reclamation District of Greater Chicago, July 2014.

Black & Veatch, 2016c, “Revised Groundwater Monitoring Plan, Groundwater Protection System for Thornton Composite Reservoir,” prepared for the Metropolitan Water Reclamation District of Greater Chicago, May 2016.

Illinois EPA, 2012, 35 Illinois Administrative Code (IAC) Part 620 Class I Groundwater Standards, 2012.

Illinois Pollution Control Board, 2013, Illinois Administrative Code Title 35: Environmental Protection, Subtitle F: Potable Water Supplies, Chapter I: Pollution Control Board, Part 620 – Groundwater Quality, October 7, 2013.