

*Protecting Our Water Environment*



*Metropolitan Water Reclamation District of Greater Chicago*

***MONITORING AND RESEARCH  
DEPARTMENT***

***REPORT NO. 22-22***

***HANOVER PARK WATER RECLAMATION***

***PLANT FISCHER FARM MONITORING***

***REPORT FOR SECOND QUARTER 2022:***

***SPECIAL CONDITION 2***

***July 2022***

Kari K. Steele  
*President*  
Barbara J. McGowan  
*Vice President*  
Marcelino Garcia  
*Chairman of Finance*  
Cameron Davis  
Kimberly Du Buclet  
Josina Morita  
Chakena D. Perry  
Eira L. Corral Sepúlveda  
Mariyana T. Spyropoulos

## Metropolitan Water Reclamation District of Greater Chicago

CECIL LUE-HING RESEARCH AND DEVELOPMENT COMPLEX  
6001 WEST PERSHING ROAD CICERO, ILLINOIS 60804-4112

**Edward W. Podczewski, P.E.**  
Director of Monitoring and Research

July 20, 2022

Ms. Catherine Siders  
Illinois Environmental Protection Agency  
Bureau of Water  
DWPC Compliance Section #19  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, Illinois 62794-9274

Dear Ms. Siders:

Subject: Hanover Park Water Reclamation Plant - Illinois Environmental Protection Agency  
Permit No. 2022-SC-66896, Special Condition 2 Monitoring Report for April, May, and  
June 2022

The attached table contains the monitoring data for the Hanover Park Water Reclamation Plant (WRP) Fischer Farm site for April, May, and June 2022, as required by Illinois Environmental Protection Agency (IEPA) Operating Permit No. 2022-SC-66896, Special Condition 2. Analytical data for well water samples collected during the quarter are presented in [Table 1](#).

Based on the investigation of historical high levels of ammonia nitrogen ( $\text{NH}_3\text{-N}$ ) plus nitrite+nitrate nitrogen ( $\text{NO}_2^-+\text{NO}_3^-\text{-N}$ ) in Well 7 during past monitoring, it appears that the source of these high levels is seepage from adjacent lagoons and subsurface drainage associated with supernatant application, both of which have high  $\text{NH}_3\text{-N}$  levels. Since implementing management practices to reduce the loading in adjacent lagoons and stop all applications of supernatant and biosolids in the closest farm field (Field 7),  $\text{NH}_3\text{-N}$  plus  $\text{NO}_2^-+\text{NO}_3^-\text{-N}$  in Well 7 has shown a decreasing trend, but with some fluctuation. We will continue to implement these practices and evaluate this trend.

The data reported are as follows:

[Table 1](#) Analysis of Water From Monitoring Wells W-5, W-6, W-7, and W-8 at the Hanover Park Fischer Farm Site Sampled in April 2022.

[Figure 1](#) Map of Fields and Wells at the Hanover Park Fischer Farm Site of the Metropolitan Water Reclamation District of Greater Chicago.

Very truly yours,



Albert E. Cox, Ph.D.  
Environmental Monitoring and Research Manager  
Monitoring and Research Department

AC:lf

Attachment

cc: Mr. J. Patel, Manager, IEPA – Des Plaines  
Mr. T. Bennett, IEPA  
Mr. B. Fleming, IEPA  
Mr. K. Middleton, USEPA, Region 5  
Mr. J. Chavich/Mr. B. Kaunelis  
Mr. A. Gronski/Dr. H. Zhang

**Metropolitan Water Reclamation District of Greater Chicago**  
100 East Erie Street Chicago, Illinois 60611-2803 (312) 751-5600

**HANOVER PARK WATER RECLAMATION  
PLANT FISCHER FARM MONITORING  
REPORT FOR SECOND QUARTER 2022:  
SPECIAL CONDITION 2**

TABLE 1: ANALYSIS OF WATER FROM MONITORING WELLS W-5, W-6, W-7, AND W-8 AT THE HANOVER PARK FISCHER FARM SITE SAMPLED IN APRIL 2022<sup>1</sup>

	Unit	W-5	W-6	W-7	W-8
pH <sup>2</sup>		7.7	7.8	8.0	8.2
EC	mS m <sup>-1</sup>	75.0	75.6	84.8	56.6
Cl-	mg L <sup>-1</sup>	18	19	17	10
SO <sub>4</sub> <sup>2-</sup>	"	100	117	194	58
Alkalinity as CaCO <sub>3</sub>	"	311	298	194	259
TKN	"	<1.0	<1.0	<1.0	<1.0
NH <sub>3</sub> -N	"	0.36	0.37	<0.30	0.42
NO <sub>2</sub> <sup>-</sup> +NO <sub>3</sub> <sup>-</sup> -N	"	<0.25	<0.25	17	<0.25
Total P	"	<0.15	<0.15	<0.15	<0.15
Cd	"	<0.002	<0.002	<0.002	<0.002
Cr	"	<0.004	<0.004	0.009	<0.004
Cu	"	0.011	0.14	0.025	0.002
Fe	"	5.3	29	11	1.1
Mn	"	0.048	0.19	0.30	0.021
Ni	"	<0.002	0.007	0.024	<0.002
Zn	"	<0.010	0.094	0.19	<0.010

<sup>1</sup>Sampled on April 20, 2022.

<sup>2</sup>pH was measured beyond 15-minute holding time.

FIGURE 1: MAP OF FIELDS AND WELLS AT THE HANOVER PARK FISCHER FARM SITE OF THE METROPOLITAN WATER RECLAMATION DISTRICT OF GREATER CHICAGO

