

Summer 2021

#### Metropolitan Water Reclamation District of Greater Chicago

Monitoring and Research Department 100 East Erie Street, Chicago, IL 60611

### **Change in Monitoring Requirements for Discharge Authorization**

The Metropolitan Water Reclamation District of Greater Chicago (District) received recommendations from the United States Environmental Protection Agency's (USEPA) Enforcement and Compliance Assurance Division regarding proper monitoring methods for hexavalent chromium (Cr+6). To date, Discharge Authorizations (DA) issued to industrial users by the District have specified that Cr+6 be collected and analyzed only as a grab sample. However, USEPA has advised that pursuant General Pretreatment Regulations for Existing and New Sources of Pollution at 40 CFR 403.12(g), Cr+6 shall always be collected and analyzed as a 24-hour composite sample.

Therefore, in light of the above, all District-issued DAs will be revised to reflect USEPA guidance for monitoring for Cr+6, as follows, effective January 1, 2022.

- Under Special Condition 2. Monitoring Requirements: Reference to grab sample collection for Cr+6 is deleted.
- Under Special Condition 3. Effluent Limits: Reference to RD-115 Sample Type for Cr+6 is revised from Grab to Composite

Prior to the effective date, revised versions of Special Conditions 2 and 3 of your DA will be transmitted to you in a separate written correspondence for your use and inclusion in your approved DA. Please disregard earlier versions of Special Conditions 2 and 3 once these revised pages are received. No further action on your part is required at this time.

If you have any further questions or concerns, please contact the District's Pretreatment and Cost Recovery Section at (312) 751-3044, or at <a href="mailto:mwrd-ucts@mwrd.org">mwrd-ucts@mwrd.org</a>.

# New Discharge Authorization Request (RD-118) Form

On June 1, 2021, the new Discharge Authorization Request (DAR) form, or RD-118, became available on the District's website (www. mwrd.org). The new form as well as instructions and a completed example can be found under Documents /Forms/ Pretreatment and Enforcement Forms.

The 1997 DAR form is still available on the District's website, but should only be used for current Significant Industrial Users (SIU) requesting a revision to their current and approved Discharge Authorizations (DA). The 2021 DAR form must be used for new requests for a DA, changes to a SIUs regulated category, or changes in ownership.


## **Electronic Reporting**

In 2020, M&R began development of an electronic self-reporting system. The system is compliant with USEPA Cross Media Electronic Reporting Rule, which is also known as CROMERR. The system allows users to electronically submit self-monitoring data and permit applications to M&R. Currently, users mail a hardcopy of reports that M&R would then manually enter in its database system. M&R anticipates a partial deployment of electronic reporting capabilities for use by its users by the end of 2021. This will require users to register prior to using the system. Registration materials will be mailed to users when the system is ready.

## **Results of the Customer Service Survey for 2020 Reporting Year**

The Industrial Waste Division (IWD) of the Monitoring and Research (M&R) Department conducted a customer service survey of the commercial, industrial and tax-exempt users that report annually in accordance with the District's User Charge Ordinance for the 2020 reporting year. Since 2016, the M&R De-

partment requests users to fill out a survey annually. The survey ended on June 1, 2020. IWD received only three responses for the survey. The results of the survey, as well as those obtained from other years, are as follows:





ACCOUNT CONTACT					
Users	Account Specialist	Email	Phone		
# - Al	Max Cole	colem@mwrd.org	312.751.5936		
Am - Az	Amanda Saverson	saversona@mwrd.org	312.751.3283		
B - Cd	Phil Keeku	keekup@mwrd.org	312.751.3041		
Ce - Cn	Mathew DeGutes	degutesm@mwrd.org	312.751.3005		
Co - Ek	Carlos Diaz	diazc@mwrd.org	312.751.5956		
El - Fh	Paramasivam Srinivasan	srinivasanp@mwrd.org	312.751.5937		
Fi - Grd	Jose George	georgej@mwrd.org	312.751.5951		
Gre - I	Brian Pikelny	pikelnyb@mwrd.org	312.751.3017		
J - Lh	Ashley Warren	warrena@mwrd.org	312.751.3021		
Li - Mn	Leonard Edwards	edwardsl@mwrd.org	312.751.5924		
Mo - N	Preet Mittal	mittalp@mwrd.org	312.751.3004		
O - P	Barbara Scapardine	scapardineb@mwrd.org	312.751.5938		
Q - R	Edmund Okoli	okolie@mwrd.org	312.751.3023		
S	Rachel Ryan	ryanr1@mwrd.org	312.751.3008		
T - Vb	Lora Buco	bucol@mwrd.org	312.751.5912		
Vc - Z	Ilyse Mackoff	mackoffi@mwrd.org	312.751.3030		

CONTINUED COMPLIANCE REPORTS (RD-115)					
40 CFR	Industrial Category	First	Second		
403	Non-Categorical	6/1	12/1		
410	Textile Mills	3/2	9/2		
413	Electroplating	4/27	10/27		
414	Organic Chemicals, Plastics, Synthetic Fibers	5/5	11/5		
415	Inorganic Chemicals Manufacturing	2/12	8/12		
417	Soap and Detergent Manufacturing	6/10	12/10		
419	Petroleum Refining	6/1	12/1		
420	Iron and Steel Manufacturing	1/10	7/10		
421	Nonferrous Metals Manufacturing	3/9	9/9		
423	Steam Electric Power Generating	1/1	7/1		
425	Leather Tanning and Finishing	5/25	11/25		
430	Pulp, Paper, and Paperboard	1/1	7/1		
433	Metal Finishing	2/15	8/15		
437	Centralized Waste Treatment	6/22	12/22		
439	Pharmaceutical Manufacturing	4/27	10/27		
442	Transportation Equipment Cleaning	2/14	8/14		
455	Pesticide Chemicals	4/4	10/4		
463	Plastic Molding and Forming	1/30	7/30		
464	Metal Molding and Casting	4/30	10/30		
465	Coil Coating	6/1	12/1		
466	Porcelain Enameling	5/25	11/25		
467	Aluminum Forming	4/24	10/24		
468	Copper Forming	2/15	8/15		
469	Electrical and Electronic Components	1/14	7/14		
471	Nonferrous Metals Forming	2/23	8/23		



**Board of Commissioners** 

Kari K. Steele, President Barbara J. McGowan, Vice President Marcelino Garcia, Chairman of Finance

**Cameron Davis Kimberly DuBuclet** Josina Morita

Eira L. Corral Sepúlveda **Debra Shore Mariyana T. Spyropoulos** 

Metropolitan Water Reclamation District of Greater Chicago





